

CERTIFICATE

Certificate holder	GUTEX Holzfaserplattenwerk H. Henselmann GmbH + Co KG Gutenberg 5 79761 Waldshut-Tiengen GERMANY
Production facility	Waldshut-Tiengen
Product	Thermal insulation products for buildings
Type, Model	Thermosafe-homogen Thermowall-L Wood-fibre thermal insulation board
Testing basis	DIN EN 13171:2013-03 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)

Mark of conformity



Registration No. 011-7D083

Valid until 2019-06-30

Nutzungsrecht This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

2018-03-26

Dipl.-Phys. Carlo Seiser
Deputy Head of Certification Body



ANNEX

Certificate

011-7D083 dated 2018-03-26

Technical Data

Thermosafe-homogen

- Designation code in accordance with DIN EN 13171:
WF-EN 13171-T4-WS2,0-CS(10/Y)50-MU4-AFr100
- Thermal conductivity: 0,038 W/(mK)
- Reaction to fire: Euroclasse E
- Thickness: 40 mm - 240 mm

Thermowall-L

- Designation code in accordance with DIN EN 13171:
WF-EN 13171-T5-WS1,0-DS(70,-)3-CS(10/Y)50-TR7,5-MU3-AFr100
- Thermal conductivity: 0,038 W/(mK)
- Reaction to fire: Euroclasse E
- Thickness: 120 mm - 200 mm

**Testing laboratory/
Inspection body**

Materialprüfungsanstalt
Universität Stuttgart
Pfaffenwaldring 32
70569 Stuttgart
GERMANY

Test report(s)

90003345/3/Schr dated 2017-04-24
9003345/17/Schr dated 2017-04-26

**Surveillance contract/
License agreement**

7000386 dated 2017-01-26

